### WELCOME

# CHAPTER 8 SUPPLIES

Your Local Specialists in **Chapter 8 Equipment** 



### Supplier

**>>>** 

Groundwork Contractors, Drainage Companies, Utility Civils & For Events

- Chapter 8 Equipment

### **Steve Ashton**

**SALES** 

#### 07538263999

sales@chapter8supplies.co.uk

**CHAPTER 8 EQUIPMENT** 54 River Grove, Hull, HU46LZ

# Content



# Preface

Welcome to our comprehensive guide to superior traffic management and site safety solutions. Established in 2004, we have dedicated over two decades to pioneering and refining the highest quality Chapter 8 equipment, serving groundwork contractors, drainage companies, utility services, and event organisers. Our commitment to excellence has enabled us to become a trusted name in the industry, synonymous with reliability, compliance, and durability.

In an industry where the safety of your team and the public is paramount, we understand the critical importance of dependable safety equipment. Whether you require barriers, cones, road lamps, or signs, our extensive product range is designed to meet the rigorous demands of modern worksites. Each product we offer is meticulously engineered to ensure maximum visibility, durability, and compliance with the highest safety standards.

This brochure aims to provide you with a detailed overview of our offerings and their specific benefits. Our goal is not just to supply you with products but to partner with you in creating a safer, more efficient work environment. By choosing our solutions, you are investing in the assurance of quality, trust, and peace of mind.

Thank you for considering us as your preferred provider for traffic and site safety equipment. We are confident that our products will exceed your expectations and provide you with the reliable safety solutions you need.

Sincerely,

Steve Ashton

# **About Us**

Established in 2004, we have been at the forefront of providing specialised Chapter 8 equipment for groundwork contractors, drainage companies, utility services, and event organisers.

Over the past two decades, our unwavering commitment to quality and safety has made us a leading supplier in the industry, trusted by professionals who demand the best.

At our core, we believe that safety and reliability should never be compromised. This philosophy drives our continuous pursuit of innovation and excellence in the products we offer. Our extensive range includes traffic barriers, cones, road lamps, road signs, and cone signs, all designed to meet the highest standards of durability, visibility, and regulatory compliance.

We take pride in our ability to cater to the unique needs of various industries. Whether it's a construction site, a public event, or utility works, our equipment ensures optimal safety and traffic management, reducing risks and enhancing operational efficiency. Each product undergoes rigorous testing and quality control to ensure it performs flawlessly under the toughest conditions.

Our expertise isn't just in the products we distribute; it's also in the relationships we build. We value every client, striving to provide superior customer service. personalized solutions, and support that extends beyond the point of sale. Our dedicated team professionals is always ready to assist you in choosing the right products and ensuring they meet your specific requirements.



"Our goal is not just to supply you with products but to partner with you in creating a safer, more efficient work environment."

Thank you for considering us as your trusted partner in traffic management and site safety. Together, we can create safer environments and more efficient operations, driving success in all your projects.

### **Barriers**

01.

#### Titan® 2M Traffic Barrier

The Titan® is the recognised and well established stacking barrier, it has all the usual advantages of standard stackable systems but in addition has many unique features. Titan® has undergone modifications to further improve longevity and to meet the proposed NRSWA changes effecting wind stability, setout in BS8442 when erected and assembled correctly.

#### One Piece Mould

The Titan® has been modified to a onepiece injection moulded design made from prime grade virgin Polypropylene offering sub-zero temperature and 2 year colour fastness properties. The new design is 100% metal free and fully recyclable.

#### **Anti-Trip Feet**

The Titan® has the option of having Anti trip feet which has a new scalloped design to prevent pedestrian/worker accidents. They are also painted in a high visibility yellow and featuring two reflectors per foot for extra visibility in low light situations.

### Stability

We carry out a 'Balance Point' test on many competitors' barriers to assess stability. Our system compares very favourably with all plastic barriers of this style and weight. The balance point of the Titan® is 45°, any angle below this and the barrier will move back to the upright position.



### **Contractor Branding**

There is a large area to allow contractor branding details to be hot-foil or embossed. The one-piece mould can be made in any colour and a three-piece version can be made with different coloured end pieces to match a corporate identity. Even the feet can be coloured to suit.

Titan® 2m Injection Moulded Road Traffic Barrier - Red



### **Barriers**

### Navigator® 2m Blow Moulded Road Traffic Barrier

The Navigator® is a blow moulded high density polyethylene barrier that has been developed for attended and unattended street work. This is a cost effective solution to ensure safety by segregating hazards and areas that could potentially cause a danger.

### **Multiple Configurations**

Designed for contractors to use in numerous configurations offering adaptable solutions to secure additional barriers. This free standing barrier with 360 degree swivel feet can also be positioned at a 90 degree angle to ensure stability.

#### **Anti-Trip Feet**

The Titan® has the option of having Anti trip feet which has a new scalloped design to prevent pedestrian/worker accidents. They are also painted in a high visibility yellow and featuring two reflectors per foot for extra visibility in low light situations.

### Stability

We carry out a 'Balance Point' test on many competitors' barriers to assess stability. Our system compares very favourably with all plastic barriers of this style and weight. The balance point of the Titan® is 45°, any angle below this and the barrier will move back to the upright position.



### **Contractor Branding**

There is a large area to allow contractor branding details to be hot-foil or embossed. The one-piece mould can be made in any colour and a three-piece version can be made with different coloured end pieces to match a corporate identity. Even the feet can be coloured to suit.

### **Navigator® 2m Blow Moulded Road Traffic Barrier**



### **Barriers**

### Frontier® 2m Blow Moulded Road Traffic Barrier - Orange

#### Frontier Cross-Link®

The latest barrier system from JSP with unbeatable stability

A JSP® blow moulded barrier manufactured from UV stabilised impact modified HDPE. The design process was carried out in tandem with leading UK contractors to maximise wind flow through and around the system for unbeatable stability. Tested to ensure wind stability classes within BS8442 are achieved

#### Features & Benefits

#### Unbeatable stability

Designed in conjunction with leading UK contractors we have designed the Frontier Cross-Link® to maximise wind flow. This has led to a patent-pending barrier system with unbeatable stability. The Frontier Cross-Link® barrier has been tested to ensure its wind stability classes it within BS8442.

#### Unique support technology

Stability can be increased even further with the addition of the patent pending Surefoot Bloc™ and telescopic stability poles.

#### Flexible linking

The Frontier Cross-Link® has been designed with compatibility in mind. You can easily link the barrier system with other JSP® barriers as well as other brands. The flexible linking allows for the barrier system to be easily deployed on uneven ground such as rough terrain and kerbs.

#### **Anti-tamper devices**

Keep your barriers safe and secure with our Surelock™ connectors.



### **Contractor Branding**

There is a large area to allow contractor branding details to be hot-foil or embossed. The one-piece mould can be made in any colour and a three-piece version can be made with different coloured end pieces to match a corporate identity. Even the feet can be coloured to suit.

### Pallet Quantity - 40

Conforms to and complies with BS 8442 & EN 12899-1

### Frontier® 2m Blow Moulded Road Traffic Barrier - Orange



### **Barriers**

The PROFESSIONAL barrier is distinctive yet designed to fit in with other barrier models visually and physically.

In standard ORANGE with revised pin and eye system it will fit seamlessly into most site set ups.

It also boasts our revised, proven foot, class leading spigot which are to be virtually unbreakable under normal field use.

New lifting handles make moving and linking easier, new lugs improve stack ability and the small surface area to


increase wind performance.

With a 96.5% recycled option, re cycling identification icons, and large embossed brand area, we think the new

PROFESSIONAL BARRIER has your company name all over it!

KEY SPECS: Tot W = 11.2 kg


Wind @ 11.2kg = 19.51mph (Cat C = 19.5mph)



Features

1. Aerodynamic Shape. 2. Lifting Handles. 3. Durable New Reflective. 4. Universal Pin. 5. Unbreakable Spigot.
6. Reinforced Strapping Area. 7. Large Embossed Brand Area. 8. Permit Sign Holes. 9. Removable Anti Trip Foot. 10.
Anti Split Pinch Edges. 11. Sandbag Grippers.

### Oaklands Group new Chapter 8 Barrier!



### **Barriers**

### Portagate® 3 Gate Compact Barrier System

The Portagate® is a blow moulded high density polyethylene barrier, supplied as a 3 or 4 gate system. Light and compact, the Portagate® is designed to meet communications industry requirements and enables increased quantities per vehicle.

### **Configurations**

Adjoining clips allow multi-positioning configurations to be formed such as a triangle, a square or a single line.

#### Firm hold

By sliding the top hinge clip down panels can be locked securely into formations.

#### Stability

Designed to accept anti-trip feet for increase stability.

### **Temporary signage**

Recesses are included for toggle mounted courtesy signs to enable the system to be fully closed with the signs still attached.

### Reflective panels

Class R1 reflective panels which are 20% more reflective than standard lower grade reflective material conforming to BS 8442.



### **Contractor Branding**

There is a large area to allow contractor branding details to be hot-foil or embossed. The one-piece mould can be made in any colour and a three-piece version can be made with different coloured end pieces to match a corporate identity. Even the feet can be coloured to suit.

### **Portagate® 3 Gate Compact Barrier System**



### **Barriers**

### AlphaBloc® 1m Folding Traffic Separator

### A-Game Stability And Storage

The uniquely foldable AlphaBloc® space saving traffic separator barrier system has been developed as a convenient alternative to the conventional style of water filled separators, allowing increased quantities on a pallet at less stacking height.

### **Small But Mighty**

Can hold 1 tonne in weight! - The A frame design does not compromise this barriers strength!

### **Storage and Distribution**

Increased pallet quantity at a total of 40, which reduces storage capacity and aids distribution. Design enables a contractor to half the cost of storage and transport, reducing their carbon footprint.

### **Increased Stability**

Water fillable to increase ballast/weight for added stability.

### Configuration

Acuteangledblocdesignallows for multiple configurations on both flat and uneven surfaces.




Large 180mm x 110mm plate area enables contractor details to be embossed and highlighted, whilst also acting as a pilferage deterrent.

#### **Five Colours**

Blue, Green, Red, White & Yellow

### AlphaBloc® 1m Folding Traffic Separator



### Cones

### 50cm/20" Dominator™ Reflective - 'No Waiting'

Two-part moulded cone with UV stabilised LDPE blow moulded yellow top and heavy duty 100% recycled composite base.

Complete with a reflective 'No Waiting' roundel.

### Pallet Quantity - 200

Two-part moulded cone with UV stabilised LDPE blow moulded Yellow top and heavy duty 100% recycled composite base

Complete with reflective 'No Waiting' roundel

#### **OUTER PACK**

Pack quantity: 200 Height: 165CM Width: 110CM Length: 120CM Weight: 778.5KG



Large 180mm x 110mm plate area enables contractor details to be embossed and highlighted, whilst also acting as a pilferage deterrent.

50cm/20" Dominator™ Reflective - 'No Waiting'



### Cones

### Mk<sup>™</sup>5 Reflective two-piece 'No Waiting' cone

Mk<sup>™</sup>5 two-piece 'No Waiting' cone made with a UV stabilised HDPE blow moulded top and a 100% recycled PVC base.

Complete with reflective 'No Waiting' roundel.

### Pallet Quantity - 200

Mk<sup>™</sup>5 two-piece 'No Waiting' cone made with a UV stabilised HDPE blow moulded top and a 100% recycled PVC base

Complete with reflective 'No waiting' roundel

#### **OUTER PACK**

Pack quantity: 200 Height: 216CM Width: 106CM Length: 131.5CM Weight: 838.5KG



Large 180mm x 110mm plate area enables contractor details to be embossed and highlighted, whilst also acting as a pilferage deterrent.

Mk<sup>™</sup>5 Reflective two-piece 'No Waiting' cone



### Cones

### Dominator™ 50cm Road Traffic Cone with Twin Sealbrite™ Sleeve

The preferred traffic management and term maintenance two-piece moulded cone.

Made with UV stabilised HDPE moulded top and heavy duty 100% recycled PVC base.

#### **OUTER PACK**

Pack quantity: 200 Height: 165CM Width: 110CM Length: 120CM Weight: 778.5KG Pallet Quantity - 200
The preferred traffic management and term maintenance two-piece moulded cone
Made with UV stabilised HDPE moulded top and heavy duty 100% recycled PVC base

Large 180mm x 110mm plate area enables contractor details to be embossed and highlighted, whilst also acting as a pilferage deterrent.

### **Dominator™ 50cm Road Traffic Cone with Twin Sealbrite™ Sleeve**



### Cones

### Dominator™ 75cm Road Traffic Cone with Sealbrite™ Sleeve

The preferred traffic management and term maintenance two-piece moulded cone.

Made with UV stabilised HDPE moulded top and heavy duty 100% recycled PVC base.

#### **OUTER PACK**

Pack quantity: 200 Height: 165CM Width: 110CM Length: 120CM Weight: 778.5KG Pallet Quantity - 200
The preferred traffic management and term maintenance two-piece moulded cone
Made with UV stabilised HDPE moulded top and heavy duty 100% recycled PVC base









Large 180mm x 110mm plate area enables contractor details to be embossed and highlighted, whilst also acting as a pilferage deterrent.

#### Colour

Green, Orange, Yellow & Blue.

### Dominator™ 75cm Road Traffic Cone with Sealbrite™ Sleeve



### Accessories

### Sealbrite<sup>™</sup> Sleeve for Dominator<sup>™</sup> 50cm Traffic Cone

The preferred traffic management and term maintenance two-piece moulded cone.

Made with UV stabilised HDPE moulded top and heavy duty 100% recycled PVC base.

#### **OUTER PACK**

Pack quantity: 20 Height: 25CM Width: 25CM Length: 30CM Weight: 8KG For use with Dominator™ Traffic Cone

### 100m Zebra<sup>™</sup> Tape - Red/White



Arange of red/white zebra<sup>™</sup> tape in 4 lengths and black/ yellow in 500m length only.

### Sealbrite<sup>™</sup> Sleeve for Dominator<sup>™</sup> 50cm Traffic Cone



### Accessories

### Sealbrite<sup>™</sup> Sleeve for Dominator<sup>™</sup> 75cm Traffic Cone

The preferred traffic management and term maintenance two-piece moulded cone.

Made with UV stabilised HDPE moulded top and heavy duty 100% recycled PVC base.

#### **OUTER PACK**

Pack quantity: 250 Height: 15.5CM Width: 43CM Length: 52CM Weight: 1.34KG For use with Dominator™ Traffic Cone



Fabglo™ Tape - 25m - High Visibility Orange

INNER PACK
Pack quantity: 20
Height: 2.3CM
Width: 8.5CM
Length: 8.5CM
Weight: 0.05KG

### Sealbrite<sup>™</sup> Sleeve for Dominator<sup>™</sup> 75cm Traffic Cone



### Accessories

Sealbrite<sup>™</sup> Sleeve for Dominator<sup>™</sup> 75cm Traffic Cone - Yellow

**OUTER PACK** 

Pack quantity: 50

Height: 0CM Width: 0CM Length: 0CM Weight: 0KG For use with Dominator™ Traffic Cone

Area enables contractor details to be embossed and highlighted, whilst also acting as a pilferage deterrent.

Reflective at night

### Sealbrite<sup>™</sup> Sleeve for Dominator<sup>™</sup> 75cm Traffic Cone - Yellow



### Accessories

Sleeve for Dominator™ 75cm Overhead Cables - Yellow

**OUTER PACK** 

Pack quantity: 50

Height: 0CM Width: 0CM Length: 0CM Weight: 0KG For use with Dominator™ Traffic Cone

Area enables contractor details to be embossed and highlighted, whilst also acting as a pilferage deterrent.

Reflective at night

### Sleeve for Dominator™ 75cm - Overhead Cables - Yellow



## Road Lamps

#### Maxilite™ LED - Red Lens

The Maxilite<sup>™</sup> LED is the latest lamp from JSP. This Dual function lamp is bright, versatile and long lasting.

Carry handle Practical moulded carry handle to aid transporting and siting.

Swivel head The lens surround swivels giving 360° vision.

Static or Flashing Dual function photocell operation.

Allen key
Each lamp has an allen key for bolt assembly and mode operation.

### **Versatility**

Can be fixed to barriers simply using the included bolt, or to cones using the cone/lamp bracket

LUM000-000-200 - Universal lamp cone bracket can be used with this traffic lamp, sold separately

Extended battery life
The Maxilite™ uses energy saving LED bulbs to enhance battery life giving an extended period of use.

Area enables contractor details to be embossed and highlighted, whilst also acting as a pilferage deterrent.

Not supplied with batteries. 6V Twin Prong Square Batteries are accepted.

Conforms to and complies with EN 12352 and BS3143 Part 2.

### Maxilite<sup>™</sup> LED - Red Lens



# **Road Lamps**

#### Maxilite™ LED - Red Lens

The Maxilite<sup>™</sup> LED is the latest lamp from JSP. This Dual function lamp is bright, versatile and long lasting.

Carry handle Practical moulded carry handle to aid transporting and siting.

Swivel head The lens surround swivels giving 360° vision.

Static or Flashing Dual function photocell operation.

Allen key Each lamp has an allen key for bolt assembly and mode operation.

#### **Versatility**

Can be fixed to barriers simply using the included bolt, or to cones using the cone/lamp bracket

LUM000-000-200 - Universal lamp cone bracket can be used with this traffic lamp, sold separately

Extended battery life
The Maxilite™ uses energy saving LED bulbs to enhance battery life giving an extended period of use.



### **Colour** Red, Yellow.

Not supplied with batteries. 6V Twin Prong Square Batteries are accepted.

Conforms to and complies with EN 12352 and BS3143 Part 2.

### Maxilite™ LED - Red Lens



# Road Lamps

### Maxilite™ & MicroLite™ Universal Lamp Cone Bracket

For use with the following Maxilite™ and Microlite&trade Traffic Lamps -

LAF060-001-200 - MaxiLite™ LED - Amber Lens

LAF060-000-600 - MaxiLite™ LED - Red Lens

LGJ010-001-200 - MicroLite™ - FNPC c/w fitted bolt

LGJ020-001-200 - MicroLite™ - FPC c/w fitted bolt

Please note: if ordering for Microlite<sup>™</sup> you will need to order a Microlite<sup>™</sup> that comes with a bolt.

Pack quantity: 200 Height: 7.6CM Width: 4.3CM Length: 5.9CM Weight: 0.046KG

### MicroLite™ Supplied with fitted bolt

Universal lamp cone bracket can be used to hold a MicroLite™ for immediate assembly onto a cone

## Maxilite<sup>™</sup> & MicroLite<sup>™</sup> Universal Lamp Cone Bracket



# Road Lamps

MicroLite<sup>™</sup> - Flashing Photocell 360° lens for all round light visibility. Conforms to and complies with EN 12352 and BS3143 Part 2.

(Only LGJ010-001-200 & LGJ020-001-200 are supplied with bolt to fit bracket - LUM000-000-200)

Pallet Quantity - 750
Conforms to and complies with EN 12352
360° degree lens for all round light visibility
Impact resistant lens moulded from premium quality
Polycarbonate

Pack quantity: 1 Height: 9.5CM Width: 9.5CM Length: 12.5CM Weight: 0.2KG

### MicroLite™

Two mode options - flashing with and without photocell

## MicroLite™ - Flashing Photocell



# Road Lamps

### Site Safety Lamp - Side Mount

These versatile lamps can be set to flashing or steady operation, and are available with white, amber and red lenses.

Site Safety Lamps require little to no maintenance and each one is supplied with its own security tool. Each lamp is rated for up to 1,500 hours performance on 2 x AA alkaline batteries.

Our Site Safety Lamps are designed to withstand a tough working environment. All parts are impact-resistant and built ruggedly. The hard-wearing design of these lamps makes them an ideal choice for construction sites, where accidental impacts are a common hazard. Units are sealed against dust and water (IP54), providing protection from weather and airborne particles.

120mm x 118mm x 95mm

#### **Side Mount**

It's quick and easy to fit Site Safety Lamps throughout your workplace. These site lamps are tough, long-lasting and easy to install in a range of working environments. They are suitable for all scaffolding, skip lugs, HERAS fencing and roadside barriers, as well as bolting onto flat surfaces.

### Available in red, orange or white



### Site Safety Lamp - Side Mount



# **Road Lamps**

#### **Cone Safety Lamp**

Our LED Cone Lamps have been designed with special consideration for cost-efficiency and low maintenance; these Safety Lamps come fitted an integrated photocell switch for energy saving during daylight hours. The 360 Degree amber lenses provide maximum visibility for up to 1500 Hours, from just two standard AA alkaline batteries. Their durable design will withstand harsh environments and all parts are impact resistant.

#### Size:

175mm x 65mm

#### **Uses:**

2 x AA alkaline batteries (not included) Integrated Photocell with alternate on/ off Flashing or Steady Settings

### **Site Lighting**

Robust and secure cone lamp, ideal for urban roadside applications The Cone Safety Lamps are inserted from the top, using a rubber collar for increased grip, to fit entry holes from 28mm up to 46mm in diameter.

Robust polycarbonate suitable for industrial applications 360 Degree polycarbonate lenses for maximum visibility Fully compatible with the majority of traffic cones.









### **Cone Safety Lamp**



# Road Lamps

**STACKA Barrier Lamp** 

#### DURABLE AND EXTREMELY COST-EFFECTIVE

STACKA Barrier Safety Lamps are manufactured to retrofit simply and easily to all types of roadway barriers. Designed with special consideration for high convenience and low maintenance, these Safety Lamps are fully stackable, so barriers can be positioned, collected, and stored with no need to remove the attached lamps.

#### Size:

227mm x 115mm x 80mm

#### **Uses:**

2 x AA alkaline batteries (not included) Integrated Photocell with alternate on/ off Flashing or Steady Settings STACKA Barrier Lamps have a robust, durable design, fit to be deployed for all industrial usages. Stainless steel security screws are made to withstand the tests of time, outdoor elements and rough use.

Robust polycarbonate suitable for industrial applications 360 Degree polycarbonate lenses for maximum visibility Fully compatible with:

Mergon - Mergon Barrier (2 Metre / 1 Metre)

Melba Swintex - Olympic Barrier / Vision Barrier / Master Barrier / Tuff Barrier /

**Gate Barrier / Wonder Wall** 

**Oxford Plastics - Avalon Barrier** 

JSP - Frontier Barrier / Titan Barrier

### **STACKA Barrier Lamp**



### Men at Work Sign - Temporary Metal Road Sign Dia 7001 Face Zintec 750mm

This Men at Work Road Sign is part of our metal road sign range - the most common road sign type in the UK.

Chapter 8 compliant Men at Work sign in a 750mm triangular size.

To indicate that there are road works, or work being carried out ahead

Engineer grade retroreflective face

**Features of Metal Road Signs** 

Designed and manufactured in the UK

When mounted in a frame it can be easily weighted with sandbags







Frame & Clips

## Men at Work Sign



#### Footpath Closed Pedestrian Sign - 600x450mm Metal Sign

This Footpath Closed Pedestrian Sign is part of our metal road sign range - the most common road sign type in the UK.

Chapter 8 compliant Footpath Closed sign in a 600x450mm size.

To notify pedestrians that the footpath is closed Engineer grade retroreflective face

**Features of Metal Road Signs** 

Designed and manufactured in the UK

When mounted in a frame it can be easily weighted with sandbags







Frame & Clips

#### **Footpath Closed Pedestrian Sign**



Chapter 8 Equipment

Road Closed Sign - Zintec Metal Sign Dia 7010.1 Face | 1050x750mm

This Road Closed Road Sign is part of our metal road sign range - the most common road sign type in the UK.

Chapter 8 compliant Road Closed sign in a 1050x750mm size.

This notifies when there is a road surface in use Engineer grade retroreflective face

**Features of Metal Road Signs** 

Designed and manufactured in the UK

When mounted in a frame it can be easily weighted with sandbags







#### **Road Closed Sign**



Keep Left Road Sign - 750mm square Metal Sign This Keep Left Road Sign is part of our metal road sign range - the most common road sign type in the UK.

Chapter 8 compliant Keep Left sign in a 750mm square size.

To notify traffic that they should keep to the left Engineer grade retroreflective face

**Features of Metal Road Signs** 

Designed and manufactured in the UK

When mounted in a frame it can be easily weighted with sandbags







Frame & Clips

### Keep Right Sign



Chapter 8 Equipment

Road Narrows Reversible Left / Right Sign - Zintec Metal Sign Dia 517 Face | 750mm

This Road Narrows Left Road Sign is part of our metal road sign range - the most common road sign type in the UK.

Chapter 8 compliant Road Narrows Reversible Left or Right sign in a 750mm triangular size. To indicate that the road narrows from the left or right. Engineer grade retroreflective face

We stock most metal road sign types, so please contact us if you cannot find the sign you are looking for. **Features of Metal Road Signs** 

Designed and manufactured in the UK

When mounted in a frame it can be easily weighted with sandbags







Frame & Clips

### Road Narrows Reversible - Left / Right



Chapter 8 Equipment

Diversion Sign With Reversible Arrow - Zintec Metal Sign Dia 2702 Face | 1050x750mm

This Diversion Reversible Arrow Road Sign is part of our metal road sign range - the most common road sign type in the UK.

Chapter 8 compliant Diversion Reversible Arrow sign in a 1050x750mm size.

To indicate that the diversion follows the direction of the arrow. Arrow is reversible Engineer grade retroreflective face.

**Features of Metal Road Signs** 

Designed and manufactured in the UK

When mounted in a frame it can be easily weighted with sandbags





Face Plate Only

Frame & Clips

### **Diversion Sign With Reversible Arrow**



Pedestrian Crossing When Red Light Shows Wait Here Sign - Zintec Metal Sign Dia 7011.2 Face | 1050x750mm

Diagram 7011.2 Road Sign is part of our metal road sign range - the most common road sign type in the UK.

Chapter 8 compliant Pedestrian Crossing When Red Light Shows Wait Here sign in a 1050x750mm size.

To notify road users that a temporary pedestrian crossing is in place.

Engineer grade retroreflective face.

**Features of Metal Road Signs** 

Designed and manufactured in the UK

When mounted in a frame it can be easily weighted with sandbags





Face Plate Only

Frame & Clips

#### **Pedestrian Crossing When Red Light Shows Wait Here Sign**



Traffic Signals Ahead Sign - Zintec Metal Sign Face Dia. 543 | 750mm

This Traffic Signals Ahead Symbol Road Sign is part of our metal road sign range - the most common road sign type in the UK.

Chapter 8 compliant Traffic Signals Ahead Symbol sign in a 750mm triangular size. To indicate that there are traffic lights ahead (Symbol, not words)

Engineer grade retroreflective face.

**Features of Metal Road Signs** 

Designed and manufactured in the UK

When mounted in a frame it can be easily weighted with sandbags







Frame & Clips

### **Traffic Signals Ahead Sign**



RAMP Sign - Zintec Metal Sign Dia 7013 Face | 1050x450mm

This Traffic Signals Ahead Symbol Road Sign is part of our metal road sign range - the most common road sign type in the UK.

Chapter 8 compliant Traffic Signals Ahead Symbol sign in a 750mm triangular size. To indicate that there are traffic lights ahead (Symbol, not words)

Engineer grade retroreflective face.

**Features of Metal Road Signs** 

Designed and manufactured in the UK

When mounted in a frame it can be easily weighted with sandbags





Face Plate Only

Frame & Clips

#### **RAMP Sign**



# Priority Over Oncoming Traffic End Sign Diagram 811

This Traffic Signals Ahead Symbol Road Sign is part of our metal road sign range - the most common road sign type in the UK.

Chapter 8 compliant Traffic Signals Ahead Symbol sign in a 750mm triangular size. To indicate that there are traffic lights ahead (Symbol, not words)

Engineer grade retroreflective face.

**Features of Metal Road Signs** 

Designed and manufactured in the UK

When mounted in a frame it can be easily weighted with sandbags





Face Plate Only

Frame & Clips

**Priority Over Oncoming Traffic End Sign Diagram 811** 

# **Cone Signs**

#### Men at Work Cone Sign - (Cone Sold Separately)

Our Men at Work cone sign is designed to be the the compact solution for signage on roads. Our new design uses a scratch resistant faces that won't mark or tear like many other types, and comes complete with a composite, reinforced tear resistant sleeve.

Chapter eight compliant Men at Work 750mm or 600mm cone sign
Fits over most 1 metre and 750mm cones (750mm pictured)
Can be easily deployed and stored.
Light weight but strong construction.

**Features of Cone Signs** 

Designed and manufactured in the UK

Fixing strap x2



### Men at Work Cone Sign - (Cone Sold Separately)



# **Cone Signs**

## Road Narrows Right Cone Sign (Cone Sold Separately)

Our Road Narrows Right cone sign is designed to be the the compact solution for signage on roads. Our new design uses a scratch resistant faces that won't mark or tear like many other types, and comes complete with a composite, reinforced tear resistant sleeve.

Chapter eight compliant Road Narrows Right 750mm or 600mm cone sign Fits over most 1 metre and 750mm cones (750mm pictured)
Can be easily deployed and stored.
Light weight but strong construction.

**Features of Cone Signs** 

Designed and manufactured in the UK

Fixing strap x2



### Road Narrows Right Cone Sign - (Cone Sold Separately)



# **Cone Signs**

# Road Narrows Left Cone Sign (Cone Sold Separately)

Our Road Narrows Left cone sign is designed to be the the compact solution for signage on roads. Our new design uses a scratch resistant faces that won't mark or tear like many other types, and comes complete with a composite, reinforced tear resistant sleeve.

Chapter eight compliant Road Narrows Left 750mm or 600mm cone sign Fits over most 1 metre and 750mm cones (750mm pictured)

Can be easily deployed and stored. Light weight but strong construction. **Features of Cone Signs** 

Designed and manufactured in the UK

Fixing strap x2



#### Road Narrows Left Cone Sign - (Cone Sold Separately)



### Keep Left Cone Sign | Reversible (Cone Sold Separately)

Our keep left cone sign is designed to be the compact solution for signage on roads. Our new design uses a scratch resistant faces that won't mark or tear like many other types, and comes complete with a composite, reinforced tear resistant straps.

Chapter eight compliant Keep Left 750mm or 600mm cone sign Fits over most 1 metre and 750mm cones (750mm pictured)

Can be easily deployed and stored. Light weight but strong construction. **Features of Cone Signs** 

Designed and manufactured in the UK



Keep Left Cone Sign | Reversible (Cone Sold Separately)



#### Footpath Closed Ahead' Cone Sign (Cone Sold Separately)

Please note: Please note that the cone is sold separately.

This simple, yet important sign should be used to warn pedestrians on the footpath that the pavement they are using is closed further along. This can be due to works taking place on or near the footpath, or for another reason. The exact term reads FOOTPATH CLOSED AHEAD. This design complies with Chapter 8 standard.

The sign face is 600 x 450, and is compatible with 1000mm and 750mm cones (commonly seen on 750mm cones), making the product convenient and easy to deploy wherever needed. It is constructed from a scratch resistant face combined with a nylon woven tear-resistant strap.

**Features of Cone Signs** 

Designed and manufactured in the UK



Footpath Closed Ahead' Cone Sign (Cone Sold Separately)



### Pedestrians Arrow Right Cone Sign (Cone Sold Separately)

Please note: Please note that the cone is sold separately.

This sign is designed to be used where it is necessary to indicate to pedestrians that they should follow the arrow, in this case to the right. Designed to be mounted on a 750mm or 1 metre cone (commonly 750mm), it means it can be stored almost flat, is light and easy to transport and is very cost effective.

Our new design uses a scratch resistant faces with a composite, reinforced tear resistant sleeve.

Chapter eight compliant Pedestrians Arrow Right 600x450mm cone sign

Fits over most 1 metre and 750mm cones (750mm pictured)

Can be easily deployed and stored. Light weight but strong construction.

**Features of Cone Signs** 

Designed and manufactured in the UK



**Pedestrians Arrow Right Cone Sign (Cone Sold Separately)** 



#### Pedestrians Arrow Left Cone Sign (Cone Sold Separately)

Please note: Please note that the cone is sold separately.

This sign is designed to be used where it is necessary to indicate to pedestrians that they should follow the arrow, in this case to the right. Designed to be mounted on a 750mm or 1 metre cone (commonly 750mm), it means it can be stored almost flat, is light and easy to transport and is very cost effective.

Our new design uses a scratch resistant faces with a composite, reinforced tear resistant sleeve.

Chapter eight compliant Pedestrians Arrow Right 600x450mm cone sign

Fits over most 1 metre and 750mm cones (750mm pictured)

Can be easily deployed and stored. Light weight but strong construction.

**Features of Cone Signs** 

Designed and manufactured in the UK



**Pedestrians Arrow Left Cone Sign (Cone Sold Separately)** 



#### Cone Sign Works Package - (Cones Sold Separately)

This complete cone sign package contains the essentials to get started on roadworks.

Scratch resistant faces make them much longer lasting that normal cone signs.

Tough PVC backing - Virtually unbreakable! Each sign can be stored almost flat

Tear resistant nylon loops make them extremely stable when cone mounted.

**Package Contains** 

- 2 x Men at work Cone Signs
- 1 x Keep Right Cone Sign (reversible)
- 1 x Keep Left Cone Sign (reversible)
- 1 x Road Narrows Left Cone Sign
- 1 x Road Narrows Right Cone Sign

**Features of Cone Signs** 

Designed and manufactured in the UK



Cone Sign Works Package - (Cones Sold Separately)



Chapter 8 Supplies delves into the essentials of sourcing and managing supplies—everything from establishing strong relationships with suppliers to maintaining an inventory that aligns with your growth strategy. We'll explore how strategic decisions around supplies not only streamline operations but also enhance your brand's reputation.

25

26

07.

# ENQUIRE TO HIRE



## CHAPTOR 8 SUPPLIES

end.

**Issue Date** 

01 02 2025

**Expire Date** 

01 02 2027

Steve Ashton www.capter8supplies.co.uk